# Safety Data Sheet acc. to ISO/DIS 11014 Printing date 01/11/2013 Reviewed on 01/11/2013 1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: Antox 2001 T · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the preparation Metal surface treatment · Details of the supplier of the safety data sheet Manufacturer/Supplier: Chemetall GmbH Zweigniederlassung Schweiz Aarauerstrasse 51 CH-5200 Brugg Tel. ++41(0)56 616 90 30 Fax ++41(0)56 616 90 40 Quality Welding Products Division of Dynaflux 241 Brown Farm Rd US - Cartersville, Georgia 30120 Phone 770-382-8843 Fax 770-382-8319 · Information department: Mark Redmon mredmon@dynaflux.com Emergency telephone number: CHEMTREC Company code CCN205573 Domestic North America 800-424-9300 International, call 703-527-3887 (collect calls accepted) 2 Hazards identification · Classification of the substance or mixture GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.




GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.





R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.



Irritating to eyes, respiratory system and skin. R36/37/38:

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

Printing date 01/11/2013

(Contd. on page 3)


USA

Trade name: Antox 2001 T

· Description of first aid measures

Immediately remove any clothing soiled by the product.

· General information:



Printing date 01/11/2013

#### Trade name: Antox 2001 T

(Contd. of page 2) Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

# · After skin contact:

Immediately rinse with water.

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
   After swallowing:
- Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters

#### · Protective equipment:

Mouth respiratory protective device. Do not inhale explosion gases or combustion gases.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• Reference to other sections See Section 7 for information on safe handling.

See Section 7 for information on sale handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.
   (Contd. on page 4)

Printing date 01/11/2013

Reviewed on 01/11/2013

#### Trade name: Antox 2001 T

(Contd. of page 3)

- Conditions for safe storage, including any incompatibilities
   Storage;
- · Storage:

 Requirements to be met by storerooms and receptacles: Provide acid-resistant floor. Use only receptacles specifically permitted for this substance/product.

- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
- Further information about storage conditions: Protect from frost.
- Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

- 8 Exposure controls/personal protection
- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

7664-39-3 hydrofluoric acid

- PEL 3 ppm as F
- REL Short-term value: C 5\* mg/m³, C 6\* ppm Long-term value: 2.5 mg/m³, 3 ppm \*15-min, as F
- TLV Short-term value: C 1.64 mg/m<sup>3</sup>, C 2 ppm Long-term value: 0.41 mg/m<sup>3</sup>, 0.5 ppm as F; Skin

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Breathing equipment: Not peopsage if room is well-ventila.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

Neoprene gloves Acid resistant gloves Only use chemical-protective gloves with CE-labelling of category III. **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks

I he selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

USA

Printing date 01/11/2013

Trade name: Antox 2001 T

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

# 9 Physical and chemical properties

· Information on basic physical and	chemical properties
· General Information	
· Appearance:	
Form:	Pasty
Color:	Grey
· Odor:	Recognizable
· Odour threshold:	Not determined.
· pH-value at 20 °C (68 °F):	< 1
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
· Density at 20 °C (68 °F):	1.98 g/cm³ (16.523 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
<ul> <li>Evaporation rate</li> </ul>	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
· Other information	No further relevant information available.

(Contd. on page 6)

Reviewed on 01/11/2013

(Contd. of page 4)

Printing date 01/11/2013

Reviewed on 01/11/2013

#### Trade name: Antox 2001 T

(Contd. of page 5)

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

7664-39-3 hydrofluoric acid

Oral LD50 1276 mg/kg (rat)

#### · Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

### **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 7)

<sup>-</sup> USA

Printing date 01/11/2013

(Contd. of page 6)

Trade name: Antox 2001 T

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

# 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C
400	(NITRIC ACID, HYDROFLUORIC ACID)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGAN N.O.S. (NITRIC ACID, HYDROFLUORIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C
	(HYDROFLUORIC ACID, NITRIC ACID)
Transport hazard class(es)	
DOT	
~	
the second se	
CORROSIVE 3	
Class	8 Corrosive substances.
Label	8
ADR, IMDG, IATA	
The Sec	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	<i>III</i>
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Transport in bulk according to Anney	
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 01/11/2013

Reviewed on 01/11/2013

Trade name: Antox 2001 T

(Contd. of page 7)

· Transport/Additional information: · UN "Model Regulation":

Not dangerous according to the above specifications. UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROFLUORIC ACID), 8, III

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Section 3	13 (Specific toxic chemical listings):	
1344-28-1	aluminium oxide	
7697-37-2	nitric acid	
7664-39-3	hydrofluoric acid	
· TSCA (To	xic Substances Control Act):	
1344-28-1	aluminium oxide	
7697-37-2	nitric acid	
7664-39-3	hydrofluoric acid	
7732-18-5	water, distilled, conductivity or of similar purity	
· Propositio	on 65	
	s known to cause cancer:	
None of th	e ingredients is listed.	
· Chemical	s known to cause reproductive toxicity for females:	
None of th	e ingredients is listed.	
· Chemical	s known to cause reproductive toxicity for males:	
None of th	e ingredients is listed.	
· Chemical	s known to cause developmental toxicity:	
None of th	e ingredients is listed.	
· Cancerog	enity categories	
•	ironmental Protection Agency)	
None of th	e ingredients is listed.	
· TLV (Thre	shold Limit Value established by ACGIH)	
1344-28-1 aluminium oxide		A4
· NIOSH-Ca	a (National Institute for Occupational Safety and Health)	
None of th	e ingredients is listed.	
· OSHA-Ca	(Occupational Safety & Health Administration)	
	e ingredients is listed.	

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. (Contd. on page 9)

- USA

Printing date 01/11/2013

Reviewed on 01/11/2013

#### Trade name: Antox 2001 T

(Contd. of page 8)

USA

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· \* Data compared to the previous version altered.