USA

Printing date 01/11/2013

Identification of the substance/mixture and of the company/undertaking Product identifier Trade name: <u>Antox 21 E plus</u> Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the preparation Metal surface treatment

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Chemetall GmbH Zweigniederlassung Schweiz Aarauerstrasse 51 CH-5200 Brugg Tel. ++41(0)56 616 90 30 Fax ++41(0)56 616 90 40

Quality Welding Products Division of Dynaflux 241 Brown Farm Rd US - Cartersville, Georgia 30120 Phone 770-382-8843 Fax 770-382-8319

 Information department: Mark Redmon mredmon@dynaflux.com
 Emergency telephone number: CHEMTREC Company code CCN205573 Domestic North America 800-424-9300 International, call 703-527-3887 (collect calls accepted)

2 Hazards identification

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin. Acute Tox. 3 H331 Toxic if inhaled.

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

 Classification according to Directive 67/548/EEC or Directive 1999/45/EC

 Image: T; Toxic

 R23/24/25:
 Toxic by inhalation, in contact with skin and if swallowed.

 Image: C; Corrosive

 R35:
 Causes severe burns.

 Image: Xi; Irritant

 R37:
 Irritating to respiratory system.

 Information concerning particular hazards for human and environment:

 The product has to be labelled due to the calculation procedure of international guidelines.

 (Contd. on page 2)

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/11/2013

Trade name: Antox 21 E plus

· Dangerous components:

Class	(Contd. of page
	ification system: lassification was made according to the latest editions of international substances lists, a
	ded upon from company and literature data.
Label	elements
. I ahell	ling according to EU guidelines:
· Code	letter and hazard designation of product:
	T Toxic C Corrosive
\sim	
·Hazar	d-determining components of labelling:
-	luoric acid
nitric a	ncid
	ohrases:
	25 Toxic by inhalation, in contact with skin and if swallowed.
35 37	Causes severe burns. Irritating to respiratory system.
•	
	/ phrases:
4 7/9	Keep away from living quarters.
20	Keep container tightly closed and in a well-ventilated place. When using do not eat or drink.
23	Do not breathe vapour/spray.
26	In case of contact with eyes, rinse immediately with plenty of water and seek media advice.
36/37/	39 Wear suitable protective clothing, gloves and eye/face protection.
45	In case of accident or if you feel unwell, seek medical advice immediately (show the lal where possible).
60	This material and its container must be disposed of as hazardous waste.
	ification system:
·NFPA	ratings (scale 0 - 4)
	Health = 4
	Fire = 0
4	U Reactivity = 0
Void	
· Other	hazards
Resul	ts of PBT and vPvB assessment
· PBT: /	Not applicable.
· vPvB:	Not applicable.
	no sitis y linfo ym stis y sy insynadia y ta
	position/information on ingredients

· Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

USA

*

Trade name: Antox 21 E plus

	(Cantal of a c
	(Contd. of page
7697-37-2 nitric acid	10-25%
🗾 C R35	
🔞 Ox. Liq. 3, H272	
Skin Corr. 1A, H314	
7664-39-3 hydrofluoric acid	2.5-10%
	2.5-107
T+ R26/27/28	
🚅 C R35	
🛞 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330	
Skin Corr. 1A, H314	
• Additional information: For the wording of the listed risk phrases refer to section	16.
4 First aid measures	
· Description of first aid measures	
· General information:	
Immediately remove any clothing soiled by the product.	
Remove breathing apparatus only after contaminated clothing have been completed	y removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.	
· After inhalation:	
Supply fresh air or oxygen; call for doctor.	
In case of unconsciousness place patient stably in side position for transportation.	
· After skin contact:	
Immediately rinse with water.	
Call a doctor immediately.	
Rub in Ca-gluconate solution or Ca-gluconate gel immediately.	
· After eye contact:	
Rinse opened eye for several minutes under running water. Then consult a doctor.	
Call a doctor immediately.	
· After swallowing:	
Do not induce vomiting; immediately call for medical help.	
Drink copious amounts of water and provide fresh air. Immediately call a doctor.	
· Information for doctor:	
 Most important symptoms and effects, both acute and delayed 	
No further relevant information available.	
· Indication of any immediate medical attention and special treatment needed	
No further relevant information available.	
5 Firefighting measures	
Extinguishing media	
Suitable extinguishing agents:	
CO2, extinguishing powder or water spray. Fight larger fires with water spray or a	alcohol resista
foam.	
• Special hazards arising from the substance or mixture	
Formation of toxic cases is possible during beating or in case of fire	
Formation of toxic gases is possible during heating or in case of fire.	
· Advice for firefighters	
· Advice for firefighters · Protective equipment:	
· Advice for firefighters	

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

USA

Reviewed on 01/11/2013

Trade name: Antox 21 E plus

(Contd. of page 3) · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage · Handling: · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep respiratory protective device available. · Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Provide acid-resistant floor.

Use only receptacles specifically permitted for this substance/product.

- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
- · Further information about storage conditions: Protect from frost.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Com	Components with limit values that require monitoring at the workplace:		
7697	7-37-2 nitric acid		
PEL	5 mg/m ³ , 2 ppm		
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
TLV	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm		
7664	4-39-3 hydrofluoric acid		
PEL	3 ppm as F		
REL	Short-term value: C 5* mg/m³, C 6* ppm Long-term value: 2.5 mg/m³, 3 ppm *15-min, as F		
TLV	^r Short-term value: C 1.64 mg/m³, C 2 ppm Long-term value: 0.41 mg/m³, 0.5 ppm as F; Skin		
	(Contd. o	n page t	

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/11/2013

Reviewed on 01/11/2013

Trade name: Antox 21 E plus

· Additional information: The lists tha	(Contd. of page 4) t were valid during the creation were used as basis.						
· Exposure controls							
· Personal protective equipment:							
General protective and hygienic me	easures:						
Keep away from foodstuffs, beverage	s and feed.						
Immediately remove all soiled and cor							
Wash hands before breaks and at the							
Store protective clothing separately.							
Do not inhale gases / fumes / aerosol	8						
Avoid contact with the eyes and skin.	5.						
· Breathing equipment:							
	tion use respiratory filter device. In case of intensive or longer						
	evice that is independent of circulating air.						
Filter B	evice that is independent of circulating all.						
Filter P3							
Protection of hands:							
	nsideration of the penetration times, rates of diffusion and the						
degradation							
Ma							
Dratastive starse							
Protective gloves							
Noopropo dovos							
Neoprene gloves							
Acid resistant gloves							
Only use chemical-protective gloves v	with CE-labelling of category III.						
Material of gloves							
	pes not only depend on the material, but also on further marks						
of quality and varies from manufactur	er to manufacturer. As the product is a preparation of several						
substances, the resistance of the	glove material can not be calculated in advance and has						
therefore to be checked prior to the ap	oplication.						
· Penetration time of glove material							
The exact break trough time has to b	e found out by the manufacturer of the protective gloves and						
has to be observed.							
· Eye protection:							
Tightly sealed goggles							
g () () () () () () () () () () () () ()							
 Body protection: Acid resistant protection 	ective clothing						
,	Ŭ						
9 Physical and chemical prope	rties						
, , , , , , , , , , , , , , , , , , ,							
 Information on basic physical and on 	chemical properties						
· General Information							
· Appearance:							
Form:	Pasty						
Color:	Colorless						
· Odor:							
	Pungent Net determined						
· Odour threshold:	Not determined.						
· pH-value at 20 °C (68 °F):	< 1 (Konz.)						
· Change in condition							
Melting point/Melting range:	Undetermined.						
Boiling point/Boiling range:	Undetermined.						

(Contd. on page 6) - USA

Reviewed on 01/11/2013

Trade name: Antox 21 E plus

	(Contd. of page	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C (68 °F):	4 hPa (3 mm Hg)	
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
 Solvent content: Organic solvents: Other information 	0.0 % No further relevant information available.	

10 Stability and reactivity

· Reactivity

· Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions Reacts with metals to form nitrous fumes and hydrogen.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- \cdot Hazardous decomposition products: Corrosive gases/vapors

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 67 mg/l (rat)

7664-39-3 hydrofluoric acid

Oral LD50 1276 mg/kg (rat)

· Primary irritant effect:

· on the skin: Strong caustic effect on skin and mucous membranes.

· on the eye: Strong caustic effect.

(Contd. on page 7)

USA

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/11/2013

Trade name: Antox 21 E plus

(Contd. of page 6)

Sensitization: No sensitizing effects known. Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Packaging can be reused or recycled after cleaning.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

LISA

Reviewed on 01/11/2013

Trade name: Antox 21 E plus

(Contd. of page 7)

UN-Number DOT, ADR, IMDG, IATA	UN2922
UN proper shipping name DOT, IMDG, IATA	CORROSIVE LIQUID, TOXIC, N.O.S (HYDROFLUORIC ACID, NITRIC ACID)
ADR	2922 CORROSIVE LIQUID, TOXIC, N.O.S (HYDROFLUORIC ACID, NITRIC ACID)
Transport hazard class(es)	
DOT	
CORROSIVE B	
Class	8 Corrosive substances.
Label	8+6.1
Class	8 Corrosive substances
Label	8+6.1
Packing group DOT, ADR, IMDG, IATA	11
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler): EMS Number:	86 F-A,S-B
Segregation groups	Acids
<i>Transport in bulk according to Annex</i> <i>MARPOL73/78 and the IBC Code</i>	<i>II of</i> Not applicable.
Transport/Additional information:	Not dangerous according to the above specification

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 313 (Specific toxic chemical listings):

All ingredients are listed.

- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.

(Contd. on page 9)

⁻ USA

Trade name: Antox 21 E plus

(Contd. of page 8)

· Pr	opos	ition	65
------	------	-------	----

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· National regulations:

- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent • * Data compared to the previous version altered. USA