Printing date 02/06/2014

Reviewed on 02/06/2014

### 1 Identification

- · Product identifier
- · Trade name: Antox Surface Care 800 S
- $\cdot$  Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation

High-quality steel cleaner Metal surface treatment

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Chemetall GmbH
Zweigniederlassung Schweiz
Aarauerstrasse 51
CH-5200 Brugg
Tel. ++41(0)56 616 90 30
Fax ++41(0)56 616 90 40

Quality Welding Products
Division of Dynaflux
241 Brown Farm Rd
US - Cartersville, Georgia 30120
Phone 770-382-8843
Fax 770-382-8319

#### · Information department:

Mark Redmon mredmon@dynaflux.com Chemetall GmbH Produktsicherheit

Email: franz.braun@chemetall.com
Emergency telephone number:

Schweiz / Suisse / Switzerland

Schweiz. Toxikologisches Informationszentrum Zürich (STIZ)

Tel. ++41(0) 44 251 51 51

Tel. 145 (24 h) www.toxi.ch

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

H222 Extremely flammable aerosol.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



F+; Extremely flammable

R12: Extremely flammable.

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines. Warning! Pressurized container.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

Printing date 02/06/2014 Reviewed on 02/06/2014

Trade name: Antox Surface Care 800 S

(Contd. of page 1)

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H222 Extremely flammable aerosol.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.
P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 3 Reactivity = 3

Void

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
74-98-6	propane	F+ R12 •• H220 H280	25-50%
106-97-8	butane	F+ R12	25-50%

Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Printing date 02/06/2014 Reviewed on 02/06/2014

Trade name: Antox Surface Care 800 S

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- $\cdot$  Special hazards arising from the substance or mixture

No further relevant information available.

- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

Use only receptacles specifically permitted for this substance/product.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

JSA

Printing date 02/06/2014 Reviewed on 02/06/2014

Trade name: Antox Surface Care 800 S

(Contd. of page 3)

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 74-98-6 propane

PEL Long-term value: 1800 mg/m³, 1000 ppm
REL Long-term value: 1800 mg/m³, 1000 ppm
TLV refer to Appendix F: minimal oxygen content

#### 106-97-8 butane

REL Long-term value: 1900 mg/m³, 800 ppm TLV Short-term value: 2370 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- · Breathing equipment: Not necessary if room is well-ventilated.
- Protection of hands:

Protective gloves and protective skin cream



Protective gloves

Neoprene gloves

Only use chemical-protective gloves with CE-labeling of category III.

Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eve protection:



Tightly sealed goggles

· Body protection: Protective work clothing

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol
Color: Colorless
Odor: Recognizable
Odour threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 5)

Printing date 02/06/2014 Reviewed on 02/06/2014

Trade name: Antox Surface Care 800 S

	(Contd. of pa
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
Flash point:	> 60 °C (> 140 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	365 °C (689 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	10.9 Vol %
Vapor pressure at 20 °C (68 °F):	8300 hPa (6226 mm Hg)
Density at 20 °C (68 °F):	0.76 g/cm³ (6.342 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

Printing date 02/06/2014 Reviewed on 02/06/2014

Trade name: Antox Surface Care 800 S

(Contd. of page 5)

- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA UN1950

· UN proper shipping name

DOT Aerosols, flammable
ADR 1950 Aerosols
IMDG AEROSOLS

· IATA AEROSOLS, flammable

- · Transport hazard class(es)
- · DOT



· Class 2.1

(Contd. on page 7)

Printing date 02/06/2014 Reviewed on 02/06/2014

Trade name: Antox Surface Care 800 S

(Contd. of page 6) · Label 2.1 · ADR · Class 2 5F Gases · Label 2.1 · IMDG, IATA 2.1 · Class · Label 2.1 · Packing group · DOT, ADR, IMDG, IATA Void · Environmental hazards: · Marine pollutant: · Special precautions for user Warning: Gases · Danger code (Kemler): · EMS Number: F-D.S-U · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Not dangerous according to the above specifications. · UN "Model Regulation": UN1950, Aerosols, 2.1

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)

Printing date 02/06/2014 Reviewed on 02/06/2014

Trade name: Antox Surface Care 800 S

(Contd. of page 7)

### · Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · National regulations:
- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

· \* Data compared to the previous version altered.

USA